Product datasheet

TYREseal ESSENTIAL KIT

Flat tyre repair kit with 450ml sealant and analogue tyre inflator

Quick, versatile and simple to use

TPMS Safe

Works with TPMS valves

Made to OE specification

Direct replacement for the cars original tyre sealant

No tools required

No need to remove the valve core



OSRAM TYREseal KIT

The OSRAM TYREseal KIT ESSENTIAL includes a 450ml bottle of tyre sealant and a premium analogue tyre inflator.Made to OE specification using the latest particle gel technology, the OSRAM tyre sealant will repair punctures up to 6mm and can then be driven on for up to 200km, so you are able to complete your journey or get a replacement tyre form a service centre.With no tools or jacks required, the process of repairing a punctured tyre is quick and easy and will get you back on the road within 10mins.The kit is supplied with a velcro backed storage for secure storage in the boot. The included inflator is supplied with long-reach cables and valve adaptors, making it ideal for inflating tyres, bicycles and inflatables.The sealant is designed to flow through valves so it is safe to use with TMPS valves. No need to remove valve cores.Once the tyre is off, the sealant can be washed out easily to allow for a permanent repair if desired. The solution is non-toxic, so when it is rinsed out, it is environmentally friendly.

© 2025, OSRAM GmbH. All rights reserved.

Product datasheet

Technical data

Product information

Inflation time	4.5 min
Air Hose Length	50 cm
Power Cord Length	3.0 m
Measuring Units	PSI, kPa, bar
Accuracy (bar)	±0.1 bar

General Product Information

Global order reference	OTSK6ESN

Electrical Data

Operating Voltage	12 V

Physical Attributes & Dimensions

Length	170.0 mm
Height	148.0 mm

Colors & materials

Material	Liquid

Additional product data

Display Type	Analogue
Recommended to Use With	Car, Small Van
Stem Technlogy	Valve Through

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	ba8ac869-123c-4893-96da-afc82b02f0be

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight

© 2025, OSRAM GmbH. All rights reserved.

4052899632363	TYRE seal KIT ESSENTIAL	Folding carton box 1	263 mm x 93 mm x 153 mm	3.74 dm^3	1648.00 g
4062172406109	TYRE seal KIT ESSENTIAL	Shipping carton box 4	390 mm x 275 mm x 172 mm	18.45 dm^3	6927.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice
For more detailed application information and graphics please see product datasheet.

Disclaimer
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2025, OSRAM GmbH. All rights reserved.