

Page 1 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 02.11.2016 / 0001 Replacing version dated / version: 02.11.2016 / 0001 Valid from: 02.11.2016 PDF print date: 03.11.2016 ECORA tyre mounting paste universal white ECORA tyre mounting paste sportiv

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

GB

ECORA tyre mounting paste universal white ECORA tyre mounting paste sportiv

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Assembly material **Uses advised against:** No information available at present.

1.3 Details of the supplier of the safety data sheet $\overline{}^{(R)}$

Epp & Co, Bruck 12, 78355 Hohenfels, Germany Phone:+49 (0) 7557 - 517, Fax:+49 (0) 7557 - 8994 mail@eppco.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 7557 - 517

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a.



Page 2 of 10

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 02.11.2016 / 0001 Replacing version dated / version: 02.11.2016 / 0001 Valid from: 02.11.2016 PDF print date: 03.11.2016 ECORA tyre mounting paste universal white ECORA tyre mounting paste sportiv

3.2 Mixture

-
-
-

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air. Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.



Page 3 of 10

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 02.11.2016 / 0001 Replacing version dated / version: 02.11.2016 / 0001 Valid from: 02.11.2016 PDF print date: 03.11.2016 ECORA tyre mounting paste universal white ECORA tyre mounting paste sportiv

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13. Or:

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store cool.

Store in a dry place. 7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

œ	Chemical Name	Propane-1,2-diol		Content %:
WE	EL-TWA: 150 ppm (474 mg/m	n3) (total, vapour	WEL-STEL:	
and	d particulates), 10 mg/m3 (part	iculates)		
Мо	nitoring procedures:	- [Draeger - Alcohol 100/a (CH 29 701)	
ΒN	IGV:		Other information: -	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.



Page 4 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 02.11.2016 / 0001 Replacing version dated / version: 02.11.2016 / 0001 Valid from: 02.11.2016 PDF print date: 03.11.2016 ECORA tyre mounting paste universal white ECORA tyre mounting paste sportiv

GB

Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - freshwater		PNEC	260	mg/l	
	Environment - marine		PNEC	26	mg/l	
	Environment - sewage treatment plant		PNEC	2000	mg/l	
	Environment - sediment, freshwater		PNEC	572	mg/kg	
	Environment - sediment, marine		PNEC	57,2	mg/kg	
	Environment - soil		PNEC	50	mg/kg	
	Environment - water, sporadic (intermittent) release		PNEC	183	mg/l	
Consumer	Human - dermal	Long term, systemic effects	DNEL	213	mg/kg	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	50	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	85	mg/kg	
Consumer	Human - inhalation	Long term, local effects	DNEL	10	mg/m3	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	168	mg/m3	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	10	mg/m3	

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: With danger of contact with eyes. Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Normally not necessary. Protective hand cream recommended. With long-term contact: Rubber gloves (EN 374). Protective plastic gloves (EN 374).

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable



Page 5 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 02.11.2016 / 0001 Replacing version dated / version: 02.11.2016 / 0001 Valid from: 02.11.2016 PDF print date: 03.11.2016 ECORA tyre mounting paste universal white ECORA tyre mounting paste sportiv

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

GB

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Physical state: Paste, Liquid

Physical state: Colour: Odour. Odour threshold: pH-value: Melting point/freezing point: Initial boiling point and boiling range: Flash point: Evaporation rate: Flammability (solid, gas): Lower explosive limit: Upper explosive limit: Vapour pressure: Vapour density (air = 1): Density: Bulk density: Solubilitv(ies): Water solubility: Partition coefficient (n-octanol/water): Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidising properties:

9.2 Other information

Miscibility: Fat solubility / solvent: Conductivity: Surface tension: Solvents content:

White Mild Not determined ~8 (20°C, Emulsion) ~50 °C n.a. ~240 °C (DIN 51376 (Cleveland, open cup)) Not determined Not determined n.a. n.a. Not determined Not determined 1,06 g/cm3 (20°C) Not determined Not determined Mixable Not determined ~400 °C (DIN 51794, Ignition temperature) Not determined Not determined Product is not explosive. No

Not determined Not determined Not determined Not determined Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity
Not to be expected

10.2 Chemical stability
Stable with proper storage and handling.

10.3 Possibility of hazardous reactions
No dangerous reactions are known.

10.4 Conditions to avoid
None known

10.5 Incompatible materials



Page 6 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 02.11.2016 / 0001 Replacing version dated / version: 02.11.2016 / 0001 Valid from: 02.11.2016 PDF print date: 03.11.2016 ECORA tyre mounting paste universal white ECORA tyre mounting paste sportiv

None known

œ

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

ECORA tyre mounting paste universal white								
ECORA tyre mounting paste sportiv								
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes		
Acute toxicity, by oral route:						n.d.a.		
Acute toxicity, by dermal						n.d.a.		
route:								
Acute toxicity, by inhalation:						n.d.a.		
Skin corrosion/irritation:						n.d.a.		
Serious eye						n.d.a.		
damage/irritation:								
Respiratory or skin						n.d.a.		
sensitisation:								
Germ cell mutagenicity:						n.d.a.		
Carcinogenicity:						n.d.a.		
Reproductive toxicity:						n.d.a.		
Specific target organ toxicity -						n.d.a.		
single exposure (STOT-SE):								
Specific target organ toxicity -						n.d.a.		
repeated exposure (STOT-								
RE):								
Aspiration hazard:						n.d.a.		
Symptoms:						n.d.a.		

Propane-1,2-diol								
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes		
Acute toxicity, by oral route:	LD50	22000	mg/kg	Rat				
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rabbit				
route:								
Skin corrosion/irritation:						Not irritant		
Respiratory or skin						Not sensitizising		
sensitisation:								

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							



Page 7 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 02.11.2016 / 0001 Replacing version dated / version: 02.11.2016 / 0001 Valid from: 02.11.2016 PDF print date: 03.11.2016 ECORA tyre mounting paste universal white ECORA tyre mounting paste sportiv

12.6. Other adverse effects:			n.d.a.
Other information:	AOX		According to the recipe, contains no AOX.
Other information:	DOC		DOC- elimination degree(complex ing organic substance)>= 80%/28d: n.a.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	40613	mg/l	Oncorhynchus mykiss		
12.1. Toxicity to daphnia:	LC50	48h	18340	mg/l	Ceriodaphnia spec.		
12.1. Toxicity to algae:	EC50	48h	19000	mg/l	Skeletonema costatum		
12.2. Persistence and degradability:		28d	81,7	%		OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Readily biodegradable
12.3. Bioaccumulative potential:	BCF		0,09				
Other information:	COD		1585	mg/g			

SECTION 13: Disposal considerations

13.1 Waste treatment methods For the substance / mixture / residual amounts

EC disposal code no .:

(GB)

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 06 99 wastes not otherwise specified

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Recommendation:

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements 14.1. UN number: Transport by road/by rail (ADR/RID)

n.a.



	78355 HOHENFELS
Page 8 of 10	
Safety data sheet according to Regulation (EC) No 19	307/2006, Annex II
Revision date / version: 02.11.2016 / 0001	
Replacing version dated / version: 02.11.2016 / 0001	
Valid from: 02.11.2016	
PDF print date: 03.11.2016	
ECORA tyre mounting paste universal white	
ECORA tyre mounting paste sportiv	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n n
14.3. Hansport hazard class(es). 14.4. Packing group:	n.a.
Classification code:	n.a.
	n.a.
LQ (ADR 2015):	n.a. Nat appliable
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	
Transport by sea (IMDG-code)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Marine Pollutant:	n.a
14.5. Environmental hazards:	Not applicable
Transport by air (IATA)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
14.5. Environmental hazards:	Not applicable
14.6. Special precautions for user	
Unless specified otherwise, general measures for safe	e transport must be followed.
14.7. Transport in bulk according to An	
Non-dangerous material according to Transport Regu	
SECTION	15: Regulatory information
15.1 Safety, health and environmental re	egulations/legislation specific for the substance or mixture
Observe restrictions:	
General hygiene measures for the handling of chemic	als are applicable.
Directive 2010/75/EU (VOC):	26,67 %
15.2 Chemical safety assessment	
A chemical safety assessment is not provided for mixi	tures.
SECTI	ON 16: Other information
Revised sections:	n.a.
Clearification and processors used to de	where the electricities of the whistowe is accordance with
	erive the classification of the mixture in accordance with
the ordinance (EG) 1272/2008 (CLP):	
Not applicable	
The following phrases represent the posted Hazard C	lass and Risk Category Code (GHS/CLP) of the product and the constituents
(specified in Section 2 and 3).	
(- <u>1</u> · · · · · · · · · · · · · · · · · · ·	
Any abbreviations a	and acronyms used in this document:

AC Article Categories
acc., acc. to according, according to
ACGIHAmerican Conference of Governmental Industrial Hygienists
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)
AOEL Acceptable Operator Exposure Level
AOX Adsorbable organic halogen compounds
approx. approximately
Art., Art. no. Article number
ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)



	78355 HOHENFELS
Page 9 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II	
Revision date / version: 02.11.2016 / 0001	
Replacing version dated / version: 02.11.2016 / 0001	
Valid from: 02.11.2016	
PDF print date: 03.11.2016	
ECORA tyre mounting paste universal white	
ECORA tyre mounting paste sportiv	
BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research	
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational H BCF Bioconcentration factor	realth and Salety, Germany)
BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation)	
BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol)	
BMGV Biological monitoring guidance value (EH40, UK)	
BOD Biochemical oxygen demand	
BSEF Bromine Science and Environmental Forum	
bw body weight	
CAS Chemical Abstracts Service	is an to an d Othern Elizida
CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubr	icants and Other Fluids
CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques CIPAC Collaborative International Pesticides Analytical Council	
CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification	on, labelling and packaging of
substances and mixtures)	, <u></u>
CMR carcinogenic, mutagenic, reproductive toxic	
COD Chemical oxygen demand	
CTFA Cosmetic, Toiletry, and Fragrance Association	
DMEL Derived Minimum Effect Level	
DNEL Derived No Effect Level	
DOC Dissolved organic carbon DT50 Dwell Time - 50% reduction of start concentration	
DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association	for Welding and Allied Processes)
dw dry weight	
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance	
EC European Community	
ECHA European Chemicals Agency	
EEA European Economic Area	
EEC European Economic Community	
EINECSEuropean Inventory of Existing Commercial Chemical SubstancesELINCSEuropean List of Notified Chemical Substances	
EN European Norms	
EPA United States Environmental Protection Agency (United States of America)	
ERC Environmental Release Categories	
ES Exposure scenario	
etc. et cetera	
EU European Union	
EWC European Waste Catalogue	
Fax. Fax number gen. general	
GHS Globally Harmonized System of Classification and Labelling of Chemicals	
GWP Global warming potential	
HET-CAM Hen's Egg Test - Chorionallantoic Membrane	
HGWP Halocarbon Global Warming Potential	
IARC International Agency for Research on Cancer	
IATA International Air Transport Association	
IBC Intermediate Bulk Container IBC (Code) International Bulk Chemical (Code)	
IC Inhibitory concentration	
IMDG-code International Maritime Code for Dangerous Goods	
incl. including, inclusive	
IUCLIDInternational Uniform ChemicaL Information Database	
LC lethal concentration	
LC50 lethal concentration 50 percent kill	
LCLo lowest published lethal concentration LD Lethal Dose of a chemical	
LD Lethal Dose, 50% kill	
LDLo Lethal Dose Low	
LOAELLowest Observed Adverse Effect Level	
LOEC Lowest Observed Effect Concentration	
LOEL Lowest Observed Effect Level	



GB Page 10 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 02.11.2016 / 0001 Replacing version dated / version: 02.11.2016 / 0001 Valid from: 02.11.2016 PDF print date: 03.11.2016 ECORA tyre mounting paste universal white ECORA tyre mounting paste sportiv LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. n.av. not available not checked n.c. n.d.a. no data available NIOSHNational Institute of Occupational Safety and Health (United States of America) NOAEC No Observed Adverse Effective Concentration NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration NOEL No Observed Effect Level ODP Ozone Depletion Potential OECD Organisation for Economic Co-operation and Development org. organic PAH polycyclic aromatic hydrocarbon PBT persistent, bioaccumulative and toxic PC Chemical product category PE Polyethylene PNEC Predicted No Effect Concentration POCP Photochemical ozone creation potential ppm parts per million **PROC Process category** PTFE Polytetrafluorethylene Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning REACH the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the RID International Carriage of Dangerous Goods by Rail) SADT Self-Accelerating Decomposition Temperature SAR Structure Activity Relationship SU Sector of use SVHC Substances of Very High Concern Tel. Telephone ThOD Theoretical oxygen demand TOC Total organic carbon TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria)) VOC Volatile organic compounds vPvB very persistent and very bioaccumulative WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK). WHO World Health Organization wwt wet weight The statements made here should describe the product with regard to the necessary safety precautions - they are

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.