OSRAM

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Flat Tyre Sealant

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Tire sealant.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

OSRAM GmbH

Nonnendammallee 44

13629 Berlin, Germany

Telefon-Nr. +44(0)113 213 2000 Fax-Nr. +44(0)113 231 0266

Information provided by / telephone

0113 213 7339

Advice on Safety Data Sheet

automotive-service@osram.com

1.4 Emergency telephone number

0113 213 2000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product does not meet the classification and labelling criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Not relevant.

2.3 Other hazards

PBT assessment

No data available.

vPvB assessment

No data available..

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information	Addition	nal information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concer	ntration	%
1	propane-1,2-diolt				
	57-55-6 200-338-0 - -	-	>=	50.00 - < 70.00	%-b.w.

3.3 Other information

Non-classified substances, which are mentioned in section 3, have an occupational exposure limit (see section 8).

Trade name: TYREseal Kit OTSK4/OTSB450

#OSRAM OLQ(V)

2

EC safety data

SRAM

SECTION 4: First aid measures

4.1 **Description of first aid measures**

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes and launder thoroughly before reusing.

After inhalation

Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After inhalation

In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart and seek medical advice. Begin with medical treatment.

Do not induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Dry chemical extinguisher; Alcohol-resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2).

5.3 Advice for firefighters

Wear protective clothing. Use self-contained breathing apparatus. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 **Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding waste disposal, see chapter 13. Information regarding personal protective measures, see chapter 8. Information regarding safe handling, see chapter 7.

Trade name: TYREseal Kit OTSK4/OTSB450

Current Version: 1.0.0, issued: 01.10.2020 Replaced Version: 1.0.0, issued: 01.01.2020 Region: GB

#RL-Released

3

EC safety data

OSRAM

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Avoid formation of aerosols.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not inhale vapours. Avoid contact with eyes and skin.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect of heat.

Requirements for storage rooms and vessels

Keep only in the original container. Containers which are opened must be carefully closed and kept upright to prevent leakage.

Advice on storage assembly

Do not store together with foodstuffs. Do not store with combustible materials.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values.

No	Substance name	CAS no.	EC no.
1	propane-1,2-diol	57-55-6	200-338-0
	List of approved workplace exposure limits (WELs) / EH40		
	Propane-1,2-diol vapour & particulates TWA	474 mg/m ³	150 ppm
	List of approved workplace exposure limits (WELs) / EH40		
	Propane-1,2-diol particulates TWA		

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses (EN 166)

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material nitrile
Appropriate Material neoprene
Inappropriate material Latex

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

Trade name: TYREseal Kit OTSK4/OTSB450

OSRAM

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

9.1 Information on basic physical and chemical p	70pc11c5			
Form/Colour				
liquid				
yellowish-white				
Odour				
slightly ammonia-like				
Odour threshold				
No data available				
pH value				
Value	7 - 11			
Boiling point / boiling range				
Value	103.9 °C			
Melting point / melting range				
No data available				
Decomposition point / decomposition range				
No data available				
Flash point				
Value	97 °C			
Auto-ignition temperature				
Remarks	Product is not selfigniting.			
Oxidising properties				
No data available				
Explosive properties				
No data available				
Flammability (solid, gas)				
No data available				
Lower flammability or explosive limits				
No data available				
Upper flammability or explosive limits				
No data available				
Vapour pressure				
No data available				
Vapour density				
No data available				
Evaporation rate				
No data available				
Relative density				
No data available				
Density				
Value	1.02 - 1.06 g/cm³			
Reference temperature	20 °C			
Solubility in water				
Remarks	soluble			
Solubility(ies)				
No data available				

Trade name: TYREseal Kit OTSK4/OTSB450



Partition coefficient: n-octanol/water		
No data available		
Viscosity		
Value	5 - 25 mPa*s	
Reference temperature	20 °C	
Туре	dynamic	

9.2 Other information

Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Trade name: TYREseal Kit OTSK4/OTSB450

OSRAM

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspirationsgefahr

No data available

SECTION 12: Ecological information

12.1 **Toxicity**

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment		
PBT assessment	No data available	
vPvB assessment	No data available	

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

Trade name: TYREseal Kit OTSK4/OTSB450

Current Version: 1.0.0, issued: 01.10.2020 Replaced Version: 1.0.0, issued: 01.01.2020 Region: GB

#RL-Released

SRAM

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 **Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKÈT AND USE OF CÈRTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XVII of the REACH regulation (EC).

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Trade name: TYREseal Kit OTSK4/OTSB450

#OSRAM OLQ(V)

EC safety data

OSRAM

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case. EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU.

National Threshold Limit Values of the corresponding countries as amended in each case. Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Department issuing safety data sheet

OSRAM GmbH

Nonnendammallee 44 13629 Berlin, Germany

Tel: +44(0)113 213 2000 Fax-Nr. +44(0)113 231 026 Email: automotive-service@osram.com

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements: Alterations to the previous edition are marked in the left-hand margin.

G15090203 10.11.20

Trade name: TYREseal Kit OTSK4/OTSB450